

Flemish Brickwork • Rubble Stone Wall



PE 578 Rubble stone wall Panel size: 1105mm x 2000mm x 60mm



PE 576 Flemish bond brickwork Brick size: 215mm x 62mm Panel size: 1070mm x 2325mm x 6mm

Corner section available: PE 576C - 1035mm x 230mm x 230mm

PE 577 Flemish bond brickwork Brick size: 215mm x 62mm Panel size: 1060mm x 2320mm x 8mm


Corner section available: PE 577C - 1025mm x 220mm x 220mm

PD 104 Flemish bond brickwork Brick size: 230mm x 65mm Panel size: 1094mm x 2295mm x 4mm

Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)


High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available

Flemish Brickwork




Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)

High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available




High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available

S 79



Smaller scale Flemish bond brickwork Brick size: 60mm x 18mm Panel size: 2240mm x 660mm x 4mm







PD 187

PD 99

Flemish bond corner for PD 30 Page 139 Panel size: 320mm x 220mm x 2020mm Flemish bond brickwork Brick size: 195mm x 60mm Panel size: 2130mm x 1030mm x 8mm



Garden wall bond brickwork Brick size: 230mm x 68mm Panel size: 2080mm x 940mm x 10mm




Smaller scale Smooth Flemish bond brickwork Brick size: 132mm x 42mm Panel size: 2200mm x 1035mm x 4mm

Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)

High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available

Flemish Brickwork




PD 13

Smooth Flemish bond - barely visible Brick size: 225mm x 68mm Panel size: 2175mm x 1070mm x 3mm

NS 21	

PD 97





PD 92

Smaller glazed Flemish bond Brick size: 170mm x 58mm Panel size: 2215mm x 1075mm x 2mm




Old broken Flemish bond Brick size: 220mm x 68mm Panel size: 2260mm x 1060mm x 12mm

Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)

High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available


Flemish Brickwork




Light relief brickwork Brick size: 210mm x 60mm Panel size: 2080mm x 1090mm x 3mm








Pointed brickwork Brick size: 230mm x 68mm Panel size: 2380mm x 1075mm x 5mm





Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)


B 021

High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available

Page 142 Peter Evans Studios Ltd, 12-14 Tavistock Street, Dunstable, Bedfordshire, England. LU6 1NE. Telephone: 01582 725730

S 84

Brickwork




Rough Flemish worn wall Brick size: 225mm x 68mm Panel size: 2200mm x 1065mm x 15mm

Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)

Panel size: 2335mm x 1115mm x 8mm


High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available



Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)

High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available

English Brickwork



S 69

Eroded English bond Brick size: 220mm x 60mm Panel size: 2270mm x 1040mm x 25mm


S 70 S69C Corner Available, Fits S69 & S70 1040mm x 240mm x 240mm

Eroded English bond Brick size: 220mm x 60mm Panel size: 2270mm x 1040mm x 35mm


Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)

High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available

Mediterranean Brickwork





Roman brickwork Panel size: 2170mm x 1090mm x 15mm Bricks average height 57mm including mortar



PE 566 Stretcher bond - eroded brickwork Brick size: 245mm x 55mm Panel size: 2370mm x 1130mm x 30mm Corner section available: PE 567 - 1780mm x 360mm x 360mm see page 155

Smooth Roman brickwork Panel size: 2290mm x 1070mm x 15mm






Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)

B 018

High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available

Roman Brickwork and Herringbone Brickwork




Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)

High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available


PE 756

Stretcher Bond Brickwork




Flemish Bond Brickwork Brick Size 215mm x 65mm x 6mm Panel Size 2375mm x 1156mm Corner S21C 1156mm x 215mm x 215mm





PE 769

Stretcher Bond Brickwork Brick size: 225mm x 65mm Panel size: 2205mm x 1052mm x 10mm



Stretcher Bond Brickwork Brick size: 205mm x 56mm Panel size: 2230mm x 1080mm x 6mm


Stretcher Bond Brickwork Brick size: 200mm x 60mm Panel size: 2310mm x 1110mm x 10mm PE 756C Corner Section 1110mm x 210mm x 100mm

Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)


PD 95

High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available

Stretcher Bond Brickwork




Stretcher bond brickwork Brick size: 215mm x 68mm Panel size: 2120mm x 1065mm x 4mm




PD 98

Medium texture brickwork Brick size: 215mm x 65mm Panel size: 2270mm x 1080mm x 8mm



PE 501

Flettons brickwork Brick size: 215mm x 66mm Panel size: 2350mm x 1070mm x 8mm




PE 502

Rough worn brickwork Brick size: 215mm x 66mm Panel size: 2400mm x 1060mm x 8mm PE 502C Corner Available 1055mm x 225mm x 220mm


Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)

High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available




PE 596

Small scale stretcher bond brickwork Brick size: 100mm x 25mm Panel size: 1990mm x 1005mm x 3mm



PE 582 Larger heavy texture stretcher bond brickwork Brick size: 300mm x 75mm Panel size: 1880mm x 1040mm x 14mm



PE 509

Small scale stretcher bond brickwork Brick size: 155mm x 50mm Panel size: 2270mm x 1110mm x 12mm




PE 508 Larger scale stretcher bond brickwork Brick size: 330mm x 100mm Panel size: 1930mm x 1120mm x 15mm

Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)

High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available

Stretcher Bond Brickwork



Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)

High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available

S 45


Tiles And Bricks




Tiles Tile size: 400mm x 150mm Panel size: 2015mm x 1067mm x 5mm

a little						
		100000				
		Contraction of the second		 		Contraction of the
THE REAL PROPERTY AND						
Carlos Car						-
	**					
		and the second second	States and			-
	1000 million			 		1
	Contraction of the			 		
						10000
						1
					-	12-12-12
	the start and the second					Las - all





Bevelled edge tiles Tile size: 200mm x 100mm Panel size: 2325mm x 1127mm x 6mm



Stretcher bond brick walling Brick size: 215mm x 63mm Panel size: 2180mm x 1050mm x 5mm S44C Corner Panel size: 1050mm x 220mm x 220mm

Standard designs made in vac formed plastic 0.5mm P.V.C., 1.5mm A.B.S. or G.R.P. (glassfibre)

S 44

S 46

High Strength Plaster backed with hessian scrim for use in pubs and themed areas also available